

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN BOTH INCHES & MILLIMETERS UNLESS OTHERWISE NOTED TOLERANCES:
LINEAR: XX = .02" XXX = ½.010" ANGULAR: ½1 Degree

DO NOT SCALE DRAWING
DEBUR AND BREAK SHARP EDGES

DRAWN DATE: 9/27/16

Drawn By: MWR

TITLE:


MP-SW3/8 EX RD ADJ TK


MP-SW3/8 EX RD ADJ TK

Part #

REVISION

REVISION





		This Document Contains Proprietory Data that is property of Pendant Systems which reserves all rights to it. Unauthorized use without authorization is prohibited.	Pendant Systems  1670 Winchester Rd. Bensalem, PA 19020 P-215-638-8552 F-215-638-8554 www.PendantSystems.com		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN BOTH INCHES 8 MILLIMETERS UNLESS OTHERWISE NOTED TOLERANCES:  LINEAR: XX= .02" XXX=010" ANGULAR:1 Degree	FINISH:	Monopoint Swivel Instruction			
DO NOT SCALE DRAWING	MATERIAL:	Part #			
DEBUR AND BREAK SHARP EDGES					REVISION
DRAWN DATE: 9/27/16	Drawn By: MWR	SCALE: NTS		SHEET 3 OF 4	

ITEM NO.	PART NUMBER	DESCRIPTION	
1	#243B RM	5" Round	
2	MP Crossbar Round	4.75" Round Crossbar .080" Material Thickness Zinc Plated Steel	
3	MP Plate HB	Monopoint Plate for Half Ball for MP Crossbar 2.82" L x 1.650" W x .075" Material Thickness Half Ball Opening for #35,#34 and #147 Tapped 8/32" Hole Zinc Plated Steel	
4	#34ADJ	3/8" IP Slip Half Ball Bright Casting	1
5	#SSS	1/4" -20 Socket Set Screw w/.125 DIA &1/8" Allen Hex Head Pin for ADJ Series Half Balls	1
6	#ADJ-SS	1/4" -20 Short (.350" Long) Socket Set Screw w/.125" DIA Point & 1/8" Allen Hex Head Pin for ADJ Series Half Balls	1
7	MP Swivel Clip	Mono Point Swivel Retaining Clip for MP-Plate HB Spring Steel	
8	183	8/32" x 1/4" Philip Head Ext Sems Steel Zinc Screw	1
9	MP Screws	6/32" x 3/4" Long Zinc Plated Flat Countersunk Head Machine Screw. Available with White, Black or Zinc Finished Heads	
10	Exit Base	Exit Bracket Base 6/32" Slip & Tapped Holes. 2" x .875" Zinc Plated	1
11	Exit Bracket 3-8 IP	Exit Bracket with 3/8" IP tapped center hole & 6/32" tapped holes. 4.5" x .875" (Available in white, nickel and black)	1
12	#32	8/32 Green Ground Screw	1
13	Exit Bracket Screws	6/32" Screws	2
14	#237	.875" Hole Bushing .945" W x.750" I.D. x .250" H .063" Max Panel Thickness	1
17	ADJ Tool Kit	Drill Bit 1/8" & Allen Wrench 1/8"	1

		which reserves all rights to it. Unauthorized use without authorization  Which reserves all Bensalem, P-215-638 F-215-638		dant Systems 1670 Winchester Rosensalem, PA 1902 P-215-638-8552 F-215-638-8554 v.PendantSystems.	esfer Rd. A 19020 -8552 -8554	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN BOTH INCHES & MILLIMETERS UNLESS OTHERWISE NOTED TOLERANCES:  LINEAR: XX= .02" XXX=1.010" ANGULAR:1 Degree	Bill of Materials					
DO NOT SCALE DRAWING	MATERIAL:	Part #				
DEBUR AND BREAK SHARP EDGES	1				REVISION	
DRAWN DATE: 9/27/16	Drawn By: MWR	SCALE: NTS		SHEET 4 OF 4		