4 3 5 10 10 10 11 * Reference Bill Of Materials on				(BY	(SIGN OTHERS)
MP-SW3/8 EX USED WITH STEM 3/8" IP 3/8" IPS .625"635" O.D. 18 T.P.I. Add Suffix WHT for White or BK for Black		This Document Contains Proprietory Data that is property of Pendant Systems which reserves all rights to it. Unauthorized use without authorization is prohibited.			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN BOTH INCHES & MILLIMETERS UNLESS OTHERWISE NOTED TOLERANCES: LINEAR: $XX = .02^{\circ} XXX = \frac{+}{-}.010^{\circ}$ ANGULAR: $\frac{+}{-}1$ Degree	FINISH:	TITLE:	MP-SW3	3/8 EX	
DO NOT SCALE DRAWING DEBUR AND BREAK SHARP EDGES	MATERIAL:	Part #			REVISION
DRAWN DATE: 9/19/16	Drawn By: MWR	SCALE: NTS		SHEET 1 OF 4	NE VISION

<image/>					
		— Contains Proprietory	Pendant Systems 1670 Winchester Rd. Bensalem, PA 19020 P-215-638-8552 F-215-638-8554 www.PendantSystems.com		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN BOTH INCHES & MILLIMETERS UNLESS OTHERWISE NOTED TOLERANCES: LINEAR: XX= .02" XXX= +010" ANGULAR: +1 Degree			-SW3/8 EX Assembled		
DO NOT SCALE DRAWING DEBUR AND BREAK SHARP EDGES	MATERIAL:	Part #	REVISION		
DRAWN DATE: 9/19/16	Drawn By: MWR	SCALE: NTS	SHEET 2 OF 4		

				3
		This Document Contains Proprietory Data that is property of Pendant Systems which reserves all rights to it. Unauthorized use without authorization is prohibited.	Bensalen P-215- F-215-6	Chester Rd. 1, PA 19020 538-8552 538-8554 htSystems.com
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN BOTH INCHES & MILLIMETERS UNLESS OTHERWISE NOTED TOLERANCES: LINEAR: XX= .02" XXX= +.010" ANGULAR: +1 Degree	FINISH:	TITLE: Mono	opoint Swivel Instr	uction
DO NOT SCALE DRAWING DEBUR AND BREAK SHARP EDGES	MATERIAL:	Part #		REVISION
DRAWN DATE: 9/19/16	Drawn By: MWR	SCALE: NTS	SHEET 3 OF 4	

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	#243B SQ RM WHT	5" Flat Square Canopy W/1.25" CH & 2-RM 6/32 Holes	1
2	MP Crossbar	Crossbar 14 Gauge Zinc Plated Steel 4.8" L x 4.8" W x .075" Material Thickness]
3	MP Plate HB	Monopoint Plate for Half Ball for MP Crossbar 2.82" L x 1.650" W x .075" Material Thickness Half Ball Opening for #35,#34 and #147 Tapped 8/32" Hole Zinc Plated Steel	1
4	#32	8/32 Green Ground Screw	1
5	183	8/32" x 1/4" Philip Head Ext Sems Steel Zinc Screw	1
6	MP Screws	6/32" x 3/4" Long Zinc Plated Flat Countersunk Head Machine Screw. Available with White, Black or Zinc Finished Heads	2
7	#34	3/8" IP Tap Half Ball	1
8	MP Swivel Clip	Mono Point Swivel Retaining Clip for MP-Plate HB Spring Steel	1
9	#237	.875" Hole Bushing .945" W x.750" I.D. x .250" H .063" Max Panel Thickness	1
10	Exit Bracket 3-8 IP	Exit Bracket with 3/8" IP tapped center hole & 6/32" tapped holes. 4.5" x .875" (Available in white, nickel and black)	1
11	Exit Base	Exit Bracket Base 6/32" Slip & Tapped Holes. 2" x .875" Zinc Plated	1
12	Exit Bracket Screws	6/32" Screws	2

		This Document Contains Proprietory Data that is property of Pendant Systems which reserves all rights to it. Unauthorized use without authorization is prohibited.		dant Sys 1670 Winchester Ro Bensalem, PA 1902 P-215-638-8552 F-215-638-8554 w.PendantSystems.	1. O
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN BOTH INCHE MILLIMETERS UNLESS OTHERWISE NOTED TOLERANCES: LINEAR: XX= .02" XXX= _0.010" ANGULAR: + 1 Degree	& FINISH:	TITLE:	Biil of Materials		
DO NOT SCALE DRAWING	MATERIAL:	Part #			
DEBUR AND BREAK SHARP EDGES					REVISION
DRAWN DATE: 9/19/16	Drawn By: MWR	SCALE: NTS		SHEET 4 OF 4	