


		which reserves all rights to it. Unauthorized use without authorization  Which reserves all Bensalem, P-215-63		dant Systems 1670 Winchester Ro Bensalem, PA 1902 P-215-638-8552 F-215-638-8554 w.PendantSystems	nesfer Rd. PA 19020 88-8552 88-8554	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN BOTH INCHES 8 MILLIMETERS UNLESS OTHERWISE NOTED TOLERANCES:  LINEAR: XX=.02" XXX=010" ANGULAR:_1 Degree	. FINISH:	MP-SW1-4 EX MAG ADJ Assembled				
DO NOT SCALE DRAWING	MATERIAL:	Part #				
DEBUR AND BREAK SHARP EDGES					REVISION	
DRAWN DATE: 5/1/17	Drawn By: MWR	SCALE: NTS		SHEET 2 OF 4		



		This Document Contains Proprietory Data that is property of Pendant Systems which reserves all rights to it. Unauthorized use without authorization is prohibited.	Pendant Syst  1670 Winchester Ro Bensalem, PA 1902 P-215-638-8552 F-215-638-8554 www.PendantSystems.	i. O
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN BOTH INCHES 8 MILLIMETERS UNLESS OTHERWISE NOTED TOLERANCES:  LINEAR: XX= .02" XXX=010" ANGULAR:1 Degree	FINISH:	MP-SW MAG INSTRUCTION		
DO NOT SCALE DRAWING	MATERIAL:	Part #		
DEBUR AND BREAK SHARP EDGES				REVISION

Drawn By: MWR

SCALE: NTS

SHEET 3 OF 4

DRAWN DATE: 5/1/17

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	276B SQ	5" Canopy w/1.180" CH	1
2	MP Crossbar	Crossbar 14 Gauge Zinc Plated Steel 4.8" L x 4.8" W x .075" Material Thickness	1
3	MP Plate HB	Monopoint Plate for Half Ball for MP Crossbar 2.82" L x 1.650" W x .075" Material Thickness Half Ball Opening for #35,#34 and #147 Tapped 8/32" Hole Zinc Plated Steel	1
4	#32	8/32 Green Ground Screw	1
5	183	8/32" x 1/4" Philip Head Ext Sems Steel Zinc Screw	1
6	#35ADJ	1/4" IP Slip Half Ball Bright Casting	1
7	MP Swivel Clip	Mono Point Swivel Retaining Clip for MP-Plate HB Spring Steel	1
8	#237	.875" Hole Bushing .945" W x.750" I.D. x .250" H .063" Max Panel Thickness	1
9	Magnet	#6 & #8 Magnet	2
10	271	6/32" x 1/4" L Flat Head Philips Machine Screw	2
11	#\$\$\$	1/4" -20 Socket Set Screw w/.125 DIA &1/8" Allen Hex Head Pin for ADJ Series Half Balls	1
12	#ADJ-SS	1/4" -20 Short (.350" Long) Socket Set Screw w/.125" DIA Point & 1/8" Allen Hex Head Pin for ADJ Series Half Balls	1
13	Exit Bracket 1- 4 IP	Exit Bracket with 1/4"IP tapped center hole & 6/32" tapped holes. 4.5" x .875" (Available in white, nickel and black)	1
14	Exit Base	Exit Bracket Base 6/32" Slip & Tapped Holes. 2" x .875" Zinc Plated	1
15	Exit Bracket Screws	6/32" Screws	2

		This Document Contains Proprietory Data that is property of Pendant Systems which reserves all rights to it. Unauthorized use without authorization is prohibited.  Pendant Syste 1670 Winchester Rd. Bensalem, PA 19020 P-215-638-8552 F-215-638-8554 www.PendantSystems.co		d. O	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN BOTH INCHES & MILLIMETERS UNLESS OTHERWISE NOTED TOLERANCES:  LINEAR: XX= .02" XXX= +.010" ANGULAR: + 1 Degree	FINISH:	TITLE:	Bill of Materials		
DO NOT SCALE DRAWING  DEBUR AND BREAK SHARP EDGES	MATERIAL:	Part #			revision
DRAWN DATE: 5/1/17	Drawn By: MWR	SCALE: NTS		SHEET 4 OF 4	