


Contains Proprietory
Data that is property
of Pendant Systems
which reserves all rights to it.
Unauthorized use
without authorization is prohibited.

Pendant Systems 1670 Winchester Rd.

Bensalem, PA 19020 P-215-638-8552 F-215-638-8554

www.PendantSystems.com UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN BOTH INCHES & FINISH: MILLIMETERS UNLESS OTHERWISE NOTED TOLERANCES: TITLE: MP-SW3/8 EX ADJ TK Assembled LINEAR: XX= .02" XXX= +.010" ANGULAR: +1 Degree DO NOT SCALE DRAWING MATERIAL: Part # DEBUR AND BREAK SHARP EDGES REVISION SCALE: NTS SHEET 2 OF 4 DRAWN DATE: 9/28/16 $_{\text{Drawn By:}}\ MWR$



			This Document Contains Proprietory Data that is property of Pendant Systems which reserves all rights to it. Unauthorized use without authorization is prohibited.	Pendant Systems 1670 Winchester Rd. Bensalem, PA 19020 P-215-638-8552 F-215-638-8554 www.PendantSystems.com		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN BOTH INCHES & FINMILLIMETERS UNLESS OTHERWISE NOTED TOLERANCES: LINEAR: XX= .02" XXX=010" ANGULAR:1 Degree		FINISH:	Monopoint Swivel Instruction			
DO NOT SCALE DRAWING		MATERIAL:	Part # REVISION			
DEBUR AND BREAK SHARP EDGES					REVISION	
DRAWN DATE: 9/28/16		Drawn By: MWR	SCALE: NTS		SHEET 3 OF 4	

ITEM NO.	PART NUMBER	DESCRIPTION			
1	#243B SQ RM WHT	6/32 Holes			
2	MP Crossbar	4.8 L x 4.8 W x .0/5 Material inickness			
3	MP Plate HB	Monopoint Plate for Half Ball for MP Crossbar 2.82" L x 1.650" W x .075" Material Thickness Half Ball Opening for #35,#34 and #147 Tapped 8/32" Hole Zinc Plated Steel			
4	MP Swivel Clip				
5	#34ADJ	3/8" IP Slip Half Ball Bright Casting	1		
6	#SSS	1/4" -20 Socket Set Screw w/.125 DIA &1/8" Allen Hex Head Pin for ADJ Series Half Balls	1		
7	#ADJ-SS	1/4" -20 Short (.350" Long) Socket Set Screw w/.125" DIA Point & 1/8" Allen Hex Head Pin for ADJ Series Half Balls	1		
8	183	183 8/32" x 1/4" Philip Head Ext Sems Steel Zinc Screw			
9	MP Screws	6/32" x 3/4" Long Zinc Plated Flat Countersunk Head Machine Screw. Available with White, Black or Zinc Finished Heads	2		
10	#237	.875" Hole Bushing .945" W x.750" I.D. x .250" H .063" Max Panel Thickness	1		
11	Exit Base	Exit Bracket Base 6/32" Slip & Tapped Holes. 2" x .875" Zinc Plated	1		
12	Exit Bracket 3-8 IP	Exit Bracket with 3/8" IP tapped center hole & 6/32" tapped holes. 4.5" x .875" (Available in white, nickel and black)			
13	#32	8/32 Green Ground Screw	1		
14	Exit Bracket Screws	6/32" Screws			
15	ADJ Tool Kit	Drill Bit 1/8" & Allen Wrench 1/8"	1		

		This Document Contains Proprietory Data that is property of Pendant Systems which reserves all rights to it. Unauthorized use without authorization is prohibited.	Pendant Systems 1670 Winchester Rd. Bensalem, PA 19020 P-215-638-8552 F-215-638-8554 www.PendantSystems.com		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN BOTH INCHES 8 MILLIMETERS UNLESS OTHERWISE NOTED TOLERANCES: LINEAR: XX= .02" XXX=010" ANGULAR:1 Degree	FINISH:	Bill of Materials			
DO NOT SCALE DRAWING	MATERIAL:	Part #			
DEBUR AND BREAK SHARP EDGES					REVISION
DRAWN DATE: 9/28/16	Drawn By: MWR	SCALE: NTS		SHEET 4 OF 4	