

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN BOTH INCHES & MILLIMETERS UNLESS OTHERWISE NOTED TOLERANCES:
LINEAR: XX= .02" XXX= -0.10" ANGULAR: -1 Degree

DO NOT SCALE DRAWING
DEBUR AND BREAK SHARP EDGES

DRAWN DATE: 7/13/16

Drawn By: MWR

TITLE:

MP15-[XX]-16 36PD SW3-8


MP15-[XX]-16 36PD SW3-8

FINISH:

MP15-[XX]-16 36PD SW3-8

REVISION

REVISION



This Document
Contains Proprietory
Data that is property
of Pendant Systems
which reserves all
rights to it.
Unauthorized use

Pendant Systems
1670 Winchester Rd.
Bensalem, PA 19020
P-215-638-8552

		without authorization is prohibited.	t authorization F-215-638-8554		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES & MILLIMETERS UNLESS OTHERWISE NOTED TOLERANCES:  LINEAR: XX= .02" XXX=010" ANGULAR: _ 1 Degree	FINISH:	MP15-[XX]-16 36PD SW3-8 Assembled			
DO NOT SCALE DRAWING	MATERIAL:	Part #			
DEBUR AND BREAK SHARP EDGES					REVISION
DRAWN DATE: 7/13/16	Drawn By: MWR	SCALE:1:1		SHEET 2 OF 3	

ITEM NO.	PART NUMBER	DESCRIPTION	
1	MP Crossbar	Crossbar 14 Gauge Zinc Plated Steel 4.8" L x 4.8" W x .075" Material Thickness. GS inserted	
2	#32	8/32 Green Ground Screw	1
3	MP Screws	6/32" x 3/4" Long Zinc Plated Flat Countersunk Head Machine Screw. Available with White, Black or Zinc Finished Heads	2
4	AC1-16-[XX]G HB	1/16" Cable w/60" HB End1/16" Galvanized Cable Fuse Cut with Die Cast #2 Half Ball Stop Available in 24", 36", 60", 120", 180", & 240" Lengths 7x7 Cable	2
5	243B SQ SL RM WHT	5"Flat Square Canopy W/1.25"CH, Slots & 2-RM 6/32 Holes	1
6	183	8/32" x 1/4" Philip Head Ext Sems Steel Zinc Screw	1
7	MP Swivel Clip	Mono Point Swivel Retaining Clip for MP-Plate HB Spring Steel	1
8	MP Plate HB	Monopoint Plate for Half Ball for MP Crossbar 2.82" L x 1.650" W x .075" Material Thickness Half Ball Opening for #35,#34 and #147 Tapped 8/32" Hole Zinc Plated Steel	1
9	#237	.875" Hole Bushing .945" W x.750" I.D. x .250" H .063" Max Panel Thickness	1
10	#34	3/8" IP Tap Half Ball	1
11	#22	3/8" IP x 1 1/16" Square x .073" Thick Zinc Plated	2
12	MGR-SE-TH w/36CAB PD	Side Exit Gripper w/Through Hole for Crosscable for 1/16" Cable. Allen Set Screw on Bottom. 1.395" H x .354" W	2

		This Document Contains Proprietory Data that is property of Pendant Systems which reserves all rights to it. Unauthorized use without authorization is prohibited.	Pendant Systems  1670 Winchester Rd. Bensalem, PA 19020 P-215-638-8552 F-215-638-8554 www.PendantSystems.com		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES & MILLIMETERS UNLESS OTHERWISE NOTED TOLERANCES:  LINEAR: XX= .02" XXX= + .010" ANGULAR: + 1 Degree	FINISH:	TITLE:	Bill Of Materials		
DO NOT SCALE DRAWING	MATERIAL:	Part #			
DEBUR AND BREAK SHARP EDGES					REVISION
DRAWN DATE: 7/13/16	Drawn By: MWR	SCALE:1:1		SHEET 3 OF 3	