


Pendant Systems


The Lighting Suspension Specialists www.PendantSystems.com P-215-638-8552 F-215-638-8554

Cord Kits



Cord Kit SVT WHT (Also Black Available)

- 1-#93B M2D3.5 5" Flat Canopy White .4" CH & .250" Holes
- 1-#67 1/4" IP Slip Crossbar
- 1- CG Cap
- 1-#133 1/8" IP Hex Nut
- 2-#190 -8/32" Screws x 1" Long
- 2-#187 -8/32" Cap Nuts White
- For .190" - .260" Cord Diameter. (18/2- 18/3 SVT Cord)
- 5 Lb. Weight Limitation



Cord Kit SVT CP (Also Black Available)

- 1-#93 M2D3.5 5" Flat Canopy White .4" CH & .250" Holes
- 1-#67 1/4" IP Slip Crossbar
- 2- CG Cap
- 1- CG Check Ring
- 3-#133 1/8" IP Hex Nut
- 2-#190 -8/32" Screws x 1" Long
- 2-#187 -8/32" Cap Nuts White
- 1-#60-1 1/8" IP Nipple 1" Long
- 5'- White 18/3 SVT Cord W/6" Strips Both Ends
- For .190" - .260" Cord Diameter. (18/2- 18/3 SVT Cord)
- 5 Lb. Weight Limitation



Cord Kit WHT (Also Black Available)

- 1-#84 5" Flat Canopy White W/.720" CH
- 1-#38 3/8" IP Tapped Crossbar
- 1-Cord Grip White
- Cord Grip will accommodate .105" - .315" Diameter Cord
- 18/3 SVT & 18/3 SJT
- 5 Lb. Weight Limitation



Cord Kit 1/2 IP (Also Black Available)

- 1-#93-.875 5" Flat Canopy White .875" CH
- 1-#159 1/2" IP Tapped Crossbar
- 1-Cord Grip 1/2 IP

Cord Grip Will accommodate .170" - .450" Dia
Cord. 5 lbs. Suspension Limit for AMW & SVT
Style Cord. 10 lbs. Suspension Limit for SJT
Style Cord Per UL1598



Blank Up

- 1-#95B 5" Flat Canopy White W/.400" CH & .875" PF
- 1-#58 1/8" IP Flat Crossbar
- 1-#60-1 1/8" IP Nipple x 1" Long Zinc Plated
- 1-#186WHT 1/8" IP White Cap Nut
- 2-#171 Strain Relief Bushing White 18/3, 18/4 & 18/5
- 5 Lb. Weight Limitation

Blank Up 12/3

Same as the "Blank Up" kit above
but with 2-#126 instead of #171

Pendant Systems

The Lighting Suspension Specialists www.PendantSystems.com P-215-638-8552 F-215-638-8554

Cord Kits



Cord Kit Mini

Available in White , Black, Nickel & Brushed Nickel

- 1- Cord Grip Mini Cord Grip 1/8 IP Male
- 1- 6" Green Ground Lead
- 1- #58 Crossbar Zinc W/GS 1/8 IP
- 1- #93B Canopy 5.0" W x 0.25" Deep



Cord Kit Mini GS

Available in White , Black, Nickel & Brushed Nickel

- 1- Cord Grip Mini Cord Grip 1/8 IP Male
- 1- GND Lead 6" Green Ground Lead
- 1- #58 Crossbar Zinc W/GS 1/8 IP
- 1- #93B Stud Canopy 5.0" W x 0.25" Deep
- 1- #275 8/32" Nut
- 1- #32 8/32" Ground Screw

Pendant Systems

The Lighting Suspension Specialists www.PendantSystems.com P-215-638-8552 F-215-638-8554

Cord Kit Mini

*The Cord Kit Mini is low profile with a simple design.
Light weight suspension with 5-lb capacity.*



Cord Kit Mini Brushed Nickel

Parts included:
1- Cord Grip BN -Brushed Nickel Plated Metallic Mini Cord Grip 1/8 IP Male
1- 6" Green Ground Lead
1- #58 Crossbar Zinc W/GS 1/8 IP
1- #93B BN- Brushed Nickel Plated Canopy 5"W x 0.25" Deep



Cord Kit Mini Nickel

Parts included:
1- Cord Grip NK- Metallic Nickel Plated Mini Cord Grip 1/8 IP Male
1- 6" Green Ground Lead
1- #58 Crossbar Zinc W/GS 1/8 IP
1- #93B NK Nickel Plated Canopy 5.0" W x 0.25" Deep




***Ground
Screw Stud
(GS) Available
on canopy**

Cord Kit Mini Assembled



Cord Kit Mini White

Parts included:
1- CG WHT Metallic White Powder Coated Mini Cord Grip 1/8 IP Male
1- 6" Green Ground Lead
1- #58 Crossbar Zinc W/GS 1/8 IP
1- #93B White Powder Coated Canopy 5" W x .25" Deep



Cord Kit Mini Black

Parts included:
1- Cord Grip Bk-BK Metallic Black Powder Coated Mini Cord Grip 1/8 IP Male
1- 6" Green Ground Lead
1- #58 Crossbar Zinc W/GS 1/8 IP
1- #93B Black Powder Coated Canopy 5" W x .25" Deep

Notes:

1. Kit will only work with SVT or round cord with diameters of .190"-.260"
2. Mount Crossbar with extruded thread hole towards canopy
3. Use compression fitting cap to retain canopy against canopy and ceiling while compressing cord.